

Eaton EATS16

Catalog Number: EATS16

Eaton ATS rack PDU, 1U, Inputs (2) C20, 3.84 kW max, 16A, 200-240V, Outlets 8XC13:1XC19

General specifications



Product Name	Catalog Number
Eaton ATS rack PDU	EATS16
UPC	Product Length/Depth
743172079404	430 mm
Product Height	Product Width
43 mm	250 mm
Product Weight	Warranty
3.3 kg	2 year
Compliances	Certifications
CE Marked	CE

Physical

Mounting direction

Horizontal

Color

Black

Form factor

1U

Package contents

ATS

Quickstart guide

Safety instructions

(2) Input cables: C19-C20

1.8m

(2) Input cable lockers

Plastic strips for output locking

RS-232 serial cable

Accessories for rack installation

Operating Temperature

0° to 40°C (32° to 104°F)

Communications

Communication

No

SNMP

No

Ethernet interface

No

Serial interface

No

Mass configuration

No

Electrical input

Input connection

(2) C20

Cord length

2m

Wattage

3.84 kW max

Amperage Rating

16A

Input voltage

200-240V

Phase

Single-phase

Frequency rating

50/60 Hz

Electrical output

Outlets

(8) C13, (1) C19

Outlet control

No

Additional specifications

Electrical connection

Connecting cord with plug

Evaluation

Local

Mounting Dimension (metrical)

43

Mounting dimension (standardized)

482.6 mm (19 inch)

Switchable

No

Over voltage category

2

Resources

Brochures

Eaton UPS and battery services

Eaton UPS Services Quick Guide 2021

Compliance information

EU declaration of conformity Eaton ATS



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)