Eaton EATS16N

Catalog Number: EATS16N

Eaton ATS rack PDU, Netpack, 1U, Inputs (2) C20, 3.84 kW max, 16A, 200-240V, Outlets 8XC13:1XC19

General specifications

Product Name Eaton ATS rack PDU

UPC 743172079411

> Product Height 43 mm

Product Weight 3.5 kg

Compliances CE Marked Catalog Number EATS16N

Product Length/Depth 430 mm

Product Width 250 mm

Warranty

2 year

Certifications CE





Product specifications

Number of Outputs C13

8

Phase

Single-phase

Electrical connection

Connecting cord with plug

Mounting dimension (standardized)

482.6 mm (19 inch)

Wattage

3.84 kW max

Form factor

1U

Mounting direction

Horizontal

Number of Outputs C20

2

Amperage Rating

16A

Package contents

ATS

Quickstart guide Safety instructions (2) Input cables: C19-C20 1.8m (2) Input cable lockers Plastic strips for output locking RS-232 serial cable DB9/RJ45 cable for network card configuration Accessories for rack installation

Input connection

(2) C20

Fitted with:

Display LED indication Ampere Meter

Resources

Brochures

Eaton UPS and battery services

Eaton UPS Services Quick Guide 2021

Mounting material

Frequency rating

50/60 Hz

Evaluation

At distance

Operating Temperature

0° to 40°C (32° to 104°F)

Ethernet interface

Yes

Number of outlets with earth pin

9

Mass configuration

Yes

Communication

HTTP, HTTPS, SSL, Telnet, FTP, SNMP, SMTP, DNS, DHCP, LDAP, RADIUS

Special features

Provides power redundancy to IT equipment Alternative to expensive redundant power supplies available from networking equipment vendors Compact, 1U rack form factor Seamlessly switches from one power source to the other Network management LCD with metering and basic configuration capabilities

Number of Outputs C19

1

Outlet control

No

Switchable

No

Cord length

2m

Input voltage

200-240V

Color

Black

SNMP

Yes

Over voltage category

2

Outlets

(8) C13, (1) C19

Туре

ATS

Serial interface

No

Mounting Dimension (metrical)

43



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia