

Product datasheet

Specifications



APC UPS Network Management Card 3 with Environmental Monitoring

AP9641

Overview

Lead time Usually in Stock

Main

Range of product Network Management Cards

Range compatibility Galaxy VM
Galaxy VX
Symmetra PX
Easy UPS 3M Advanced
Easy UPS 3-Phase Modular
Galaxy PX
Galaxy 3L Pro
Smart-UPS
Smart-UPS Ultra
Smart-UPS Online
Smart-UPS Modular Ultra
Smart-UPS Battery Systems
Back-UPS SX3
Refurbished Smart-UPS

Product or component type Device monitoring and management

Provided equipment Temperature sensor
Micro-USB cable
Installation manual

Number of input phases 1
3

Standards EN 55024
BS EN 55024
EN 61000-4-2
BS EN 61000-4-2
EN 61000-4-3
BS EN 61000-4-3
EN 61000-4-4
BS EN 61000-4-4
EN 61000-4-5
BS EN 61000-4-5
EN 61000-4-6
BS EN 61000-4-6
EN 61000-4-8
BS EN 61000-4-8
EN 61000-4-11
BS EN 61000-4-11
EN 55035
BS EN 55035
EN 62040-2
BS EN 62040-2
EN 61326-2
BS EN 61326-2
ICES-003 class A
VCCI class A
EN 61000-6-3
BS EN 61000-6-3
EN 55032: class A
BS EN 55032: class A

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

General

Variant option	Environmental monitoring
----------------	--------------------------

Physical

Net weight	0.09 kg
------------	---------

Width	12.1 cm
-------	---------

Height	3.8 cm
--------	--------

Depth	11.4 cm
-------	---------

Conformance

Product certifications	FCC Class A AS/NZS AS/NZS 3548 (C-Tick) class A FCC part 15 class A GOST UK PSTI
------------------------	-------------------------------------------------------------------------------------------------

Environmental

Storage Relative Humidity	0...95 %
---------------------------	----------

Relative humidity	0...95 %
-------------------	----------

Ambient air temperature for storage	-15...65 °C
-------------------------------------	-------------

Ambient air temperature for operation	-5...45 °C
---------------------------------------	------------

Storage altitude	0...15240 m
------------------	-------------

Operating altitude	0...10000 ft
--------------------	--------------

Communications & Management

Communication network type	10/100/1000BASE-T
----------------------------	-------------------

Authentication	Radius Lightweight Directory Access Protocol (LDAP)
----------------	--------------------------------------------------------

Communication port protocol	HTTP over secure sockets Layer (HTTPS) SSH FTP HTTP SNMP DHCP BOOTP (Bootstrap Protocol) TCP/IP
-----------------------------	-------------------------------------------------------------------------------------------------------------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	5.200 cm
------------------	----------

Package 1 Width	16.400 cm
-----------------	-----------

Package 1 Length	24.000 cm
------------------	-----------

Package 1 Weight	405.000 g
------------------	-----------

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	123 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	119 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACH Regulation	REACH Declaration

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

End of life manual availability	End of Life Information
Removable battery	Yes
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

