



APC NetShelter SX 42U Server Rack Enclos

AR3100

Overview

Lead time Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters
	Side panels

Physical

Height	1991 mm	
Width	600 mm	
Depth	1070 mm	
Net weight	125.09 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	914.9 mm	
Minimum mounting depth	190.5 mm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

Conformance

Standards UL 2416 UL 60950-1 EIA-310E

Packing Units

Excluding VAT, FCA Jabal Ali & Diet to change – check with your local distributor.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	75.200 cm
Package 1 Width	115.600 cm
Package 1 Length	211.800 cm
Package 1 Weight	144.550 kg

Contractual warranty

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Total lifecycle Carbon footprint	439	
Environmental Disclosure	Product Environmental Profile	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Longer

○ Lifetime extension		
Repair	No	

Use Again

○ Repack and	○ Repack and remanufacture	
End of life manu	ual availability	End of Life Information
Take-back		No

Image of product / Alternate images

Alternative































11