

# Product datasheet

Specifications



APC Back-UPS Connect 12Vdc 36W, lithium-ion, mini network ups to protect internet routers, IP cameras and more

CP12036LI

## Overview

Lead time	Usually in Stock
-----------	------------------

## Main

Main Input Voltage	12 V DC 1 phase
Product or component type	Accessory
Main Output Voltage	12 V DC 1 phase
Battery type	Li-Ion (Lithium-Ion)
Range of product	Back-UPS Connect

## Complementary

Number of tare power	2 W
Mounting mode	Plug-in

## Batteries & Runtime

Battery recharge time	9 h
-----------------------	-----

## Physical

Colour	White
Width	99 mm
Depth	109 mm
Net weight	0.3 kg
Mounting mode	Not rack-mountable
Height	25 mm

## Output

Maximum configurable power in W	36 W
Output voltage	12 V

## Conformance

Product certifications	CE
Standards	CE EN/IEC 61000-4-8 EN/IEC 61000-4-2 EN/IEC 62368-1

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-10...50 °C
Storage altitude	0...5000 m
IP degree of protection	< IP20

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	11.500 cm
Package 1 Length	16.300 cm
Package 1 Weight	366.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.900 kg
SCC14	10731304632396
Pallet unit layers	6
Pallet layers	4

## Contractual warranty

Warranty (in months)	24
----------------------	----





## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	186
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
SCIP Number	73b1309a-d65b-4414-9fb4-d80a65253bd6
REACH Regulation	<a href="#">REACH Declaration</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Removable battery	Yes
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins



Image of product / Alternate images

Alternative

---









